

easyPilot Soleil

Fittings for turn windows.



in
windows

A new dimension in the production of windows.

easyPilot Soleil – fitting systems easy to install for turn windows: Due to the innovative locking drive it is possible to produce double-sash windows with symmetrical handle position while foregoing routings on the sash and the double-sash profile. This rationalisation in sash assembly reduces the time needed for production.

The coupling position of the fitting parts and the handle positions are in line with the tried-and-tested turn-tilt fitting system activPilot.

Individual solutions increase competitiveness

Besides the defined and fixed handle heights, the easyPilot Soleil fitting system enables all

handle positions quite easily. What is more, the current fitting system can be used for turn windows and lockable patio doors alike. Accessories are retrofittable at any time. In this way individual customer requests can be implemented at low cost.

Modular range creates the leeway for your manufacturing process.

We can offer specially-developed drives for the production of turn and turn double-sash windows and lockable patio doors. When assembling easyPilot Soleil fittings, only one drive per window type is used. Furthermore the connecting rails can be applied as fix and cuttable components for any type of window.


Winkhaus Plus

- + Time is saved as profile requires no routing (in case of D-6 drive)
 - + Process security due to connection of components using time-tested coupling technique
 - + Possibility of assembly on loose parts
 - + Application of tried-and-tested activPilot product features
-



Locking system

- + Increased air gap tolerance
- + Quick and precise regulation of contact pressure
- + Integrated shootbolt system
- + Utilisation of activPilot frame parts



Modular design

- + One type of connecting rails for all drive models
- + Solutions for windows and patio doors
- + Central handle position also for double-sash windows
- + Handle positions and mounting jigs are adapted to activPilot range of fittings
- + Dornmaß D-6, D7,5 und D15,5 möglich



Add-on functions

- + Easy retrofitting of accessory parts
- + The shootbolt keep is designed for the entry of two shootbolts.
- + Shootbolt available in different versions
- + Mini vent keep with integrated shootbolt keep and mini ventilation



Lockable drive rods

- + Suitable for side entrance doors
- + Easy-to-process connecting rods
- + Available with backsets 28 mm, 35 mm and 40 mm
- + Distance 70 mm
- + With latch



Automatic deadbolt AKR ...

- + Easy to use thanks to automatic locking of the inactive sash
- + Locking rod is extended when the first-opening sash is closed



Balcony door catch BK.KR

- + Convenient use with balcony door catch function
- + Fixing of the inactive sash by manual locking and unlocking

Aug. Winkhaus GmbH & Co. KG

August-Winkhaus-Straße 31
D-48291 Telgte
T + 49 (0) 25 04-921-0
F + 49 (0) 25 04-921-340

www.winkhaus.de
fenstertechnik@winkhaus.de

